Specifications:

Installation: built-in wall mount **Exterior Dimensions:** W: 5 1/8" H: 7 1/4"

Material: solid brass construction with ceramic

disc cartridge and 2-way diverter cartridge

Water use: 4.67 GPM (60 PSI)
Finishes: CR - polished chrome
PN - polished nickel
NI - brushed nickel


NI - brushed nickel BG - brushed gold 44 - matte black Rough-in # VPB2 and trim # 15PB2.L.S-A

Tile opening max size: W: 4" H: 6"

Features:


Fittings included:


- pressure balancing valve
- rectangular backplate
- lever handle
- mixing valve regulates volume
- anti-scald protection & temperature regulation for flow rates as low as 1.75 GPM
- screwdriver service stops
- finished wall must be flush with mudguard as marked
 (1/2" adjustment possible and no extensions available)



Codes + Standards:

- Meets and exceeds applicable national codes and standards
- CAL-Green compliant





LACAVA reserves the right to revise any dimension or information on this sheet without notice. Dimensions are nominal and may vary within an industry accepted tolerance of 1/4". Drawings provided herein are meant to give the user an idea of the product and are not made to scale. Location of plumbing is meant for reference, your specific application may vary.

Revised: 1/28/2022




Features:

- · Wall-mount angled shower arm with round flange
- · Brass construction

Finish Options:

- CR Polished Chrome
- PN Polished Nickel
- NI Brushed Nickel
- · BG Brushed Gold
- 44 Matte Black





Recommend Accessories:

- Item #0292: Wall-mount tilting round shower head
- Item #0592: Wall-mount tilting round shower head
- Item #1569: Wall-mount tilting round shower head
- Item #0414: Wall-mount tilting round rain shower head
- Item #0416: Wall-mount tilting round rain shower head
- Item #W1064: Wall-mount tilting square rain shower head
- Item #W1068: Wall-mount tilting square rain shower head



$\begin{array}{c} \text{ARCH} \\ \text{Minimal Shower Head} \\ \text{0414} \end{array}$

Features:

- · Tilting round rain shower head
- Brass construction with 60 rubber nozzles
- Wall-mount installation recommended
- Outfitted with a 1.75GPM flow regulator, with backflow
- prevention, Max. flow rate: 1.8GPM




- CR Polished Chrome
- · PN Polished Nickel
- NI Brushed Nickel
- BG Brushed Gold
- 44 Matte Black

Codes + Standards:

- · Meets and exceeds applicable national codes
- Meets Cal-green requirement
- · Complies with CEC standard







LACAVA.com


Features:

- Hand shower wall union with hook for hand-held shower head
- Brass construction

Finish Options:

- CR Polished Chrome
- PN Polished Nickel
- NI Brushed Nickel
- BG Brushed Gold
- 44 Matte Black





Recommend Accessories:

• Item #1560: Hand-held shower head with 59" flexible hose



CIGNO Hand-held shower head 0260

Features:

- Hand-held round shower head with three function variable spray
- Includes 59" flexible hose
- Easy -clean nozzles
- Outfitted with a 1.75GPM flow regulator, with backflow prevention, max flow rate: 1.8 gpm

Finish Options:

- CR Polished Chrome
- PN Polished Nickel
- NI Brushed Nickel
- BG Brushed Gold
- 44 Matte Black







Codes + Standards:

- Meets and exceeds applicable national codes
- Meets Cal-green requirement
- · Complies with CEC standard

